

Catchment Area Datasheet

MedWet

Record code 228 Catchment code 0002

Bacino Lago dell'Accesa

Location

Latitude from 42 59 7 N **to** 43 1 1 N
Longitude from 10 52 34 E **to** 10 54 11 E
Altitude minimum (m) 156,70 **Altitude maximum** 351,00
(m)

Physiographical information

Area (Km2) 4,28 **River length (Km)**

Meteorological data

Minimum mean rainfall (mm)
Maximum mean rainfall (mm)
Minimum mean temperature (oC)

Dominant bioclimates

Maximum mean temperature (oC)
1. %
2. %
3. %
%

Flow (Hm3/year)

Population, landcover and impacts

Number of villages/towns of <1000 hab
1000-10000 hab 1
10000-100000 hab
>100000 hab
Year of recording 1991

Percentage (%) of area devoted to

artificial surface 42,04
agricultural areas
forest/semi-natural areas 57,96
wetlands
water bodies

Remarks

climate

Hydrology

Il Lago dell'Accesa è una depressione carsica caratterizzata dalla presenza di sorgenti al di sotto della superficie lacustre. Secondo alcuni studiosi, vi sarebbero connessioni idrauliche tra il Lago dell'Accesa e la sorgente dell'Aronna. (Rif Bibl n° 278)

Geology

Il bacino del sito è caratterizzato dalla presenza di diverse litologie appartenenti sia alla Serie Toscana che a quella Ligure. Le rocce più antiche sono del Carnico, appartengono alla formazione del Verrucano e si trovano nella parte orientale. Nei settori occidentali è presente il Calcere cavernoso del Retico, che costituisce i rilievi del Poggio Lecceta e di case Infernuccio e, nel punto più vicino al lago, la collinetta alta 179 m posta a occidente dello specchio d'acqua. Al margine meridionale del bacino sono presenti i litotipi delle Argille Scagliose Ofiolitifere, appartenenti alla Serie Ligure, di età cretaceo-Eocenica, che costituiscono i rilievi di poggio Corbello e del Podere del Montino. Delle formazioni affioranti quella che si presta maggiormente allo sviluppo del fenomeno carsico è il Calcere Cavernoso. (Rif Bibl n° 278)

Population, landcover and impacts

I dati demografici sono stati ricavati dal censimento ISTAT 1991. Il bacino del sito ricade interamente nel Comune di Massa Marittima in provincia di Grosseto. Sono presenti soltanto piccoli nuclei e case sparse.

Uses

Impacts

(Rif Bibl n° 374)

- Carico turistico elevato nella stagione estiva, soprattutto in relazione al suo utilizzo come luogo di balneazione
- Intensa attività venatoria
- Possibilità di incendi estivi

Date

10 / 11 / 2004

List of References

MedWet

Bacino Lago dell'Accesa

Negri M.

1998 Contributo alla conoscenza

228 - 0002
Atti Mus. Stor. Nat.

del Lago dell'Accesa,
Massa Marittima (GR)

Maremma, 17: 129-139
(1998)

MedWet

Site Datasheet

Record code 484 Site code IT51318101 Date 27/07/2004

Lago dell'Accesa

1. Identification

Other codes

CORINE 300009019 IWC
RAMSAR IBA

2. Location

Latitude 42 59 22 N Altitude minimum (m) 155,80
Longitude 10 55 56 E Altitude maximum (m) 161,50

Administrative divisions

NUTS code Subdivision Cover
IT51A Massa Marittima 100,00

Catchment name Bacino Lago dell'Accesa
Catchment code O002

Complexes

3. Description

Area (Ha) 52,00

Description

Profondo Lago di origine carsica, originatisi per crollo di una cavità ipogea. Si trova in una conca circondata da colline coltivate e boschi di latifoglie e rimboschimenti. Sono presenti fragmiteti, cenosi erbacee di sponda e prati umidi.

3.1 Physiographical information**climate****Bioclimate****Mean temperature (oC)****Mean monthly temperature (oC)**

Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec

Mean rainfall (mm)**Mean monthly rainfall (mm)**

Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec

Meteorological station Valpiana

Period of recording (years) from 0 to 0

Water regime**Inflow**

Ground water

Permanency

Permanent

Outflow

Permanent

Inflow/outflow remarks

Il Lago, di origine carsica, è alimentato da acque sotterranee di buona qualità.

Presence of water

Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec
3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4

1st character (spatial scale): 1- totally dry; 2- partially flooded; 3- totally flooded.

2nd character (permanency scale): 1- never flooded; 2- exceptionally flooded; 3- regularly flooded; 4- permanently flooded.

Hydrology remarks

Vi sono sorgenti all'interno del Lago dell'Accesa con punti di risorgenza sul fondale (tra i 13.1 e i 16.1 m di profondità) che fanno ritenere possibile l'esistenza di un sistema idrologico ipogeo ben sviluppato (278). L'emissario è il torrente Bruna.

Geology/ Geomorphology

IL Lago costituisce una dolina di origine carsica, originatasi a seguito dell'azione erosiva esercitata sul terreno circostante dalle sorgenti delle Venelle, dell'Arone, dell'Accesa. Tale azione, effettuata su rocce calcaree ha provocato lo sprofondamento del terreno e il deposito dell'acqua (K.C. n° 8). Osservazioni condotte in occasione di un'immersione nel settore di Sud-Ovest del lago hanno rivelato la presenza di un conglomerato costituito prevalentemente da clasti di Calcare Cavernoso e, in misura minore, da scisti, posto al disotto della coltre di sedimento che copre il fondale lacustre. La parte topograficamente più bassa del bacino idrografico è occupata da sedimenti quaternari e recenti, di origine gravitativa, alluvionale e lacustre. (278)

3.2. Ecological information

Code	Ramsar wetland types	Cover %
-------------	-----------------------------	----------------

Ecological importance

4. Values

4.1. Ramsar criteria

Code	Description
-------------	--------------------

4.2. Values

Code	I	N	R	L	Description
-------------	----------	----------	----------	----------	--------------------

I=International, N=National, R=Regional, L=Local

1=insufficient information, 2=Low significance at this level, 3=Moderate significance at this level,

4=High significance at this level

5. Status

Code	Designation	Legislation	Cover %
IT13	Vincoli Idrogeologici		100,00
INC1	pSIC "Lago dell'Accesa"	Dir 92/43/CEE DPR 357/97 L.R. 56/00 Del C.R. n° /2004 Del G.R. 644/2004	100,00

Site tenure

Site status/management

Additional info

6. Habitats

Code	Permanency	Salinity	Area (ha)	Max. depth (m)	Condition	Artificiality	pH
L M O K P F (ph)	Permanent	Fresh (<0.5 g/l)	13,80	45,00	Original vegetation/landform still predominant (> 50%)	Naturally flooded	Alkaline > 7.4)
L L O S P F (pH)	Permanent	Fresh (<0.5 g/l)	0,42	2,00	Original vegetation/landform still predominant (> 50%)	Naturally flooded	Alkaline > 7.4)
P - E P S -	Seasonal	Fresh (<0.5 g/l)	6,92	0,30	Original vegetation/landform still predominant (> 50%)	Naturally flooded	Unknown
P - U D S F	Seasonal	Fresh (<0.5 g/l)	0,22	0,30	Original vegetation/landform still predominant (> 50%)	Naturally flooded	Unknown
P - F D S F	Seasonal	Fresh (<0.5 g/l)	0,19	0,30	Original vegetation/landform still predominant (> 50%)	Naturally flooded	Unknown
P - F D S F	Seasonal	Fresh (<0.5 g/l)	0,27	0,10	Original vegetation/landform partially modified (10-50% untouched)	Naturally flooded	Unknown
P - E P T	-Temporary/Intermittent	Fresh (<0.5 g/l)	2,70	0,10	Original vegetation/landform highly modified	Naturally flooded	Unknown

P - E P T -Temporary/Intermittent	Fresh (<0.5 g/l)	0,35	0,10	(<10% untouched) Original vegetation/landform highly modified (<10% untouched)	Partially controlled	Unknown
P - F D T F Temporary/Intermittent	Fresh (<0.5 g/l)	0,19	0,30	Original vegetation/landform highly modified (<10% untouched)	Partially controlled	Unknown
U - - - - F		16,00	0,00	Original vegetation/landform totally changed	Heavily controlled	Unknown
U - - - - F		283,00	0,00	Original vegetation/landform totally changed	Heavily controlled	Unknown
U - - - - P		311,00	0,00	Original vegetation/landform totally changed	Heavily controlled	Unknown
U - - - - -		14,00	0,00	Original vegetation/landform highly modified (<10% untouched)	Partially controlled	Unknown
U - - - - -		14,00	0,00	Original vegetation/landform totally changed	Partially controlled	Unknown

7. Flora

Species	Dominance type	Cover	Height
<i>Potamogeton coloratus</i>			< 1 metre
<i>Potamogeton pectinatus</i>		Present	< 1 metre
<i>Alisma plantago-aquatica</i>		Present	< 1 metre
<i>Berula erecta</i>		Present	< 1 metre
<i>Cladium mariscus</i>		Present	1 to 3 metres
<i>Carex vulpina</i>			< 1 metre
<i>Epipactis palustris</i>			< 1 metre
<i>Iris pseudacorus</i>		Present	1 to 3 metres
<i>Juncus subnodulosus</i>		Present	1 to 3 metres
<i>Lysimachia vulgaris</i>			1 to 3 metres
<i>Mentha aquatica</i>		Present	< 1 metre
<i>Phragmites australis</i>		11 - 25%	1 to 3 metres
<i>Samolus valerandi</i>		Present	< 1 metre
<i>Scirpus lacustris tabernaemontani</i>			1 to 3 metres
<i>Typha angustifolia</i>		Present	1 to 3 metres
<i>Typha latifolia</i>		Present	1 to 3 metres
<i>Achillea ageratum</i>		Present	< 1 metre
<i>Agrostis stolonifera</i>		Present	< 1 metre
<i>Althaea officinalis</i>		Present	1 to 3 metres
<i>Calamagrostis epigejos</i>		Present	< 1 metre
<i>Calystegia sepium</i>		Present	1 to 3 metres
<i>Carex distans</i>		Present	< 1 metre
<i>Carex hirta</i>		Present	< 1 metre
<i>Cirsium monspessulanum</i>		1 - 10%	1 to 3 metres
<i>Cirsium vulgare</i>		Present	1 to 3 metres
<i>Cyperus flavescens</i>		Present	1 to 3 metres
<i>Cyperus fuscus</i>		Present	1 to 3 metres
<i>Cyperus longus</i>		Present	1 to 3 metres
<i>Dipsacus fullonum</i>		Present	1 to 3 metres
<i>Dorycnium rectum</i>		1 - 10%	< 1 metre
<i>Epilobium hirsutum</i>		Present	1 to 3 metres
<i>Equisetum ramosissimum</i>		Present	1 to 3 metres
<i>Eupatorium cannabinum</i>		Present	1 to 3 metres
<i>Festuca arundinacea fenas</i>		Present	< 1 metre
<i>Galium elongatum</i>		Present	< 1 metre
<i>Galium palustre</i>		Present	< 1 metre
<i>Herniaria hirsuta</i>		Present	< 1 metre
<i>Humulus lupulus</i>		Present	3 to 6 metres
<i>Juncus articulatus</i>		Present	< 1 metre
<i>Rumex crispus</i>		Present	< 1 metre
<i>Salix alba</i>		1 - 10%	> 6 metres
<i>Schoenus nigricans</i>		Present	< 1 metre
<i>Scirpus holoschoenus</i>		Present	1 to 3 metres
<i>Trifolium repens</i>		Present	< 1 metre
<i>Tussilago farfara</i>		Present	< 1 metre
<i>Agrostis gigantea</i>		Present	1 to 3 metres
<i>Anagallis arvensis</i>		Present	< 1 metre
<i>Anthemis arvensis</i>		Present	< 1 metre
<i>Arctium minus</i>		Present	< 1 metre

<i>Artemisia verlotiorum</i>	Present	1 to 3 metres
<i>Aster squamatus</i>	Present	< 1 metre
<i>Atriplex hastata</i>	Present	< 1 metre
<i>Atriplex latifolium</i>	Present	< 1 metre
<i>Blackstonia perfoliata perfoliata</i>	Present	< 1 metre
<i>Brachypodium pinnatum</i>	Present	< 1 metre
<i>Bromus hordeaceus</i>	Present	< 1 metre
<i>Bromus sterilis</i>	Present	< 1 metre
<i>Carduus pycnocephalus</i>	Present	1 to 3 metres
<i>Centaurium erythraea</i>	Present	< 1 metre
<i>Centaurium erythraea rumelicum</i>	Present	< 1 metre
<i>Juncus bufonius</i>	Present	< 1 metre
<i>Juncus conglomeratus</i>		1 to 3 metres
<i>Juncus fontanesii</i>		< 1 metre
<i>Juncus inflexus</i>	Present	1 to 3 metres
<i>Juncus effusus</i>	Present	1 to 3 metres
<i>Juncus maritimus</i>	Present	1 to 3 metres
<i>Linum maritimum</i>	Present	1 to 3 metres
<i>Lotus tenuis</i>	Present	< 1 metre
<i>Lycopus europaeus</i>	Present	< 1 metre
<i>Lythrum hyssopifolia</i>	Present	< 1 metre
<i>Lythrum salicaria</i>	Present	1 to 3 metres
<i>Mentha rotundifolia</i>	Present	< 1 metre
<i>Molinia caerulea</i>	Present	< 1 metre
<i>Molinia arundinacea</i>	Present	< 1 metre
<i>Oenanthe pimpinelloides</i>	Present	< 1 metre
<i>Polygonum persicaria</i>	Present	< 1 metre
<i>Potentilla reptans</i>	Present	< 1 metre
<i>Pulicaria dysenterica</i>	Present	1 to 3 metres
<i>Pulicaria vulgaris</i>	Present	< 1 metre
<i>Ranunculus repens</i>	Present	< 1 metre
<i>Rumex conglomeratus</i>	Present	< 1 metre
<i>Cirsium arvense</i>	Present	1 to 3 metres
<i>Coleostephus myconis</i>	Present	< 1 metre
<i>Conyza bonariensis</i>	Present	< 1 metre
<i>Cruciata glabra</i>	Present	< 1 metre
<i>Cynodon dactylon</i>	Present	< 1 metre
<i>Dactylis glomerata</i>	Present	< 1 metre
<i>Daucus carota</i>	Present	1 to 3 metres
<i>Dittrichia graveolens</i>	Present	< 1 metre
<i>Dittrichia viscosa</i>	Present	< 1 metre
<i>Inula viscosa</i>	Present	< 1 metre
<i>Echinochloa crus-galli</i>	Present	< 1 metre
<i>Elymus repens</i>	Present	< 1 metre
<i>Erigeron annuus</i>	Present	< 1 metre
<i>Euonymus europaeus</i>	Present	3 to 6 metres
<i>Galium mollugo</i>	Present	< 1 metre
<i>Holcus lanatus</i>	Present	< 1 metre
<i>Hypericum perforatum</i>	Present	< 1 metre
<i>Kickxia spuria</i>	Present	< 1 metre
<i>Knautia arvensis</i>	Present	1 to 3 metres
<i>Linaria vulgaris</i>	Present	< 1 metre
<i>Misopates orontium</i>	Present	< 1 metre
<i>Odontites verna serotina</i>	Present	< 1 metre
<i>Ononis spinosa antiquorum</i>	Present	< 1 metre

<i>Phleum pratense bertolonii</i>	Present	< 1 metre
<i>Picris echioides</i>	Present	< 1 metre
<i>Picris hieracioides</i>	Present	< 1 metre
<i>Plantago major</i>	Present	< 1 metre
<i>Plantago media</i>	Present	< 1 metre
<i>Polygonum aviculare</i>	Present	< 1 metre
<i>Ranunculus acris</i>	Present	< 1 metre
<i>Sambucus nigra</i>	Present	3 to 6 metres
<i>Silene alba</i>	Present	< 1 metre
<i>Silene gallica</i>	Present	< 1 metre
<i>Sonchus maritimus</i>	Present	< 1 metre
<i>Teucrium chamaedrys</i>	Present	< 1 metre
<i>Thalictrum morisonii mediterraneum</i>	Present	< 1 metre
<i>Torilis arvensis</i>	Present	< 1 metre
<i>Trifolium alessandrinum</i>	Present	< 1 metre
<i>Trifolium pratense</i>	Present	< 1 metre
<i>Urtica dioica</i>	Present	< 1 metre
<i>Verbascum sinuatum</i>	Present	1 to 3 metres
<i>Verbena officinalis</i>	Present	< 1 metre
<i>Vicia sativa</i>	Present	< 1 metre
<i>Arundo donax</i>	Present	1 to 3 metres
<i>Carex otrubae</i>	Present	< 1 metre
<i>Holoschoenus romanus</i>	Present	< 1 metre
<i>Holoschoenus vulgaris</i>	1 - 10%	1 to 3 metres
<i>Ludwigia palustris</i>		< 1 metre
<i>Nymphaea alba</i>		< 1 metre
<i>Potamogeton crispus</i>	Present	< 1 metre
<i>Potamogeton lucens</i>	Present	< 1 metre
<i>Potamogeton natans</i>	Present	< 1 metre
<i>Potamogeton perfoliatus</i>	Present	< 1 metre
<i>Ranunculus flammula</i>	Present	< 1 metre
<i>Ranunculus trichophyllus trichophyllus</i>	Present	< 1 metre
<i>Zannichellia palustris</i>		< 1 metre
<i>Crataegus monogyna</i>	Present	1 to 3 metres
<i>Cruciata laevipes</i>	Present	< 1 metre
<i>Equisetum telmateia</i>	Present	< 1 metre
<i>Fraxinus oxycarpa</i>	Present	> 6 metres
<i>Cornus sanguinea</i>	Present	3 to 6 metres
<i>Prunus spinosa</i>	Present	3 to 6 metres
<i>Mentha suaveolens</i>	Present	< 1 metre
<i>Populus alba</i>	Present	> 6 metres
<i>Ornithogalum umbellatum</i>	Present	< 1 metre
<i>Ranunculus velutinus</i>	Present	< 1 metre
<i>Rubus ulmifolius</i>	Present	1 to 3 metres
<i>Salix cinerea</i>	Present	3 to 6 metres
<i>Sambucus ebulus</i>	Present	1 to 3 metres
<i>Ulmus minor</i>	Present	3 to 6 metres
<i>Pteridium aquilinum</i>	Present	1 to 3 metres
<i>Pallenis spinosa</i>	Present	< 1 metre
<i>Scolymus hispanicus</i>	Present	1 to 3 metres
<i>Cichorium intybus</i>	Present	< 1 metre
<i>Nepeta cataria</i>	Present	< 1 metre
<i>Centaurea solstitialis solstitialis</i>	Present	1 to 3 metres
<i>Papaver rhoeas strigosum</i>	Present	< 1 metre
<i>Silybum marianum</i>	Present	1 to 3 metres

<i>Ostrya carpinifolia</i>	Present	> 6 metres
<i>Geranium robertianum</i>	Present	< 1 metre
<i>Geranium molle</i>	Present	< 1 metre
<i>Tordylium apulum</i>	Present	< 1 metre
<i>Linum usitatissimum</i>	Present	< 1 metre
<i>Vicia hybrida</i>	Present	< 1 metre
<i>Achillea millefolium</i>	Present	< 1 metre
<i>Medicago arabica</i>	Present	< 1 metre
<i>Medicago sativa</i>	Present	< 1 metre
<i>Leopoldia comosa</i>	Present	< 1 metre
<i>Stellaria media</i>	Present	< 1 metre
<i>Euphorbia helioscopia</i>	Present	< 1 metre
<i>Sherardia arvensis</i>	Present	< 1 metre
<i>Bellis perennis</i>	Present	< 1 metre
<i>Malva sylvestris</i>	Present	< 1 metre
<i>Capsella bursa-pastoris</i>	Present	< 1 metre
<i>Quercus cerris</i>	Present	> 6 metres
<i>Quercus ilex</i>	Present	> 6 metres
<i>Fraxinus ornus</i>	Present	> 6 metres
<i>Acer campestre</i>	Present	> 6 metres
<i>Phillyrea angustifolia</i>	Present	1 to 3 metres
<i>Viburnum tinus</i>	Present	1 to 3 metres
<i>Ruscus aculeatus</i>	Present	< 1 metre
<i>Eucalyptus camaldulensis</i>	Present	> 6 metres
<i>Eucalyptus globulus</i>	Present	> 6 metres
<i>Populus nigra</i>	Present	> 6 metres
<i>Asplenium adiantum-nigrum</i>	Present	< 1 metre
<i>Cyclamen repandum</i>	Present	< 1 metre
<i>Buglossoides purpureoerulea</i>	Present	< 1 metre
<i>Hedera helix</i>	Present	< 1 metre
<i>Tamus communis</i>	Present	< 1 metre
<i>Galium aparine</i>	Present	< 1 metre
<i>Asparagus acutifolius</i>	Present	1 to 3 metres
<i>Viola odorata</i>	Present	< 1 metre
<i>Rosa sempervirens</i>	Present	1 to 3 metres
<i>Clematis flammula</i>	Present	1 to 3 metres
<i>Clematis vitalba</i>	Present	3 to 6 metres
<i>Chara hispida</i>	Present	< 1 metre

8.1. Fauna, Birds

Species	Status	Number	Abundance	Pairs	Recording date	
					Month	Year
<i>Tachybaptus ruficollis</i>	Wintering				0	0
<i>Ardea cinerea</i>	Resident				0	0
<i>Anas penelope</i>	Staging				0	0
<i>Anas platyrhynchos</i>	Wintering				0	0
<i>Aythya ferina</i>	Staging		Rare		0	0
<i>Circus aeruginosus</i>	Wintering		Rare		0	0

<i>Rallus aquaticus</i>	Wintering	0	0
<i>Gallinula chloropus</i>	Resident	0	0
<i>Fulica atra</i>	Wintering	0	0
<i>Larus cachinnans</i>	Staging	0	0
<i>Cettia cetti</i>	Resident	0	0
<i>Cisticola juncidis</i>	Wintering	0	0
<i>Acrocephalus arundinaceus</i>	Breeding	0	0
<i>Remiz pendulinus</i>	Wintering	0	0
<i>Emberiza schoeniclus</i>	Wintering	0	0

8.2. Fauna, Mammals

Species	Status	Number	Abundance	Pairs	Recording date	
					Month	Year
<i>Arvicola terrestris</i>	Resident				0	0
<i>Muscardinus avellanarius</i>	Resident				0	0
<i>Rhinolophus ferrum-equinum</i>	Resident				0	0

8.3. Fauna, Fishes

Species	Abundance	Recording date	
		Month	Year
<i>Anguilla anguilla</i>		0	0
<i>Leuciscus cephalus</i>		0	0
<i>Tinca tinca</i>		0	0
<i>Scardinius erythrophthalmus</i>		0	0
<i>Alburnus albidus</i>		0	0
<i>Cyprinus carpio</i>		0	0
<i>Esox lucius</i>		0	0
<i>Micropterus salmoides</i>		0	0
<i>Percu fluviatilis</i>		0	0
<i>Lepomis gibbosus</i>		0	0

8.4. Fauna, Amphibians

Species	Number	Abundance	Recording date	
			Month	Year
<i>Rana esculenta complex</i>		Common	0	0

8.5. Fauna, Reptiles

Species	Number	Abundance	Recording date	
			Month	Year

<i>Natrix natrix</i>	Common	0	0
<i>Natrix tessellata</i>	Rare	0	0

8.6. Fauna, Invertebrates

Species	Abundance	Recording date	
		Month	Year
<i>Coenagrion caerulescens</i>	Uncommon	0	0
<i>Brachytron hafniense</i>	Rare	0	0
<i>Oxygastra curtisi</i>	Uncommon	0	0
<i>Anax imperator</i>		0	0
<i>Aeshna mixta</i>		0	0
<i>Aeshna cyanea</i>		0	0
<i>Anax partenope</i>		0	0
<i>Anaciaeschna isosceles</i>		0	0
<i>Somatochlora meridionalis</i>		0	0
<i>Libellula depressa</i>		0	0
<i>Libellula fulva</i>		0	0
<i>Orthetrum coerulescens</i>		0	0
<i>Crocothemis erythraea</i>		0	0
<i>Calopteryx virgo meridionalis</i>		0	0
<i>Calopteryx haemorrhoidalis haemorrhoidalis</i>		0	0
<i>Platycnemis pennipes</i>		0	0
<i>Ischnura elegans</i>		0	0
<i>Cercion lindeni</i>		0	0
<i>Coenagrion puella</i>		0	0
<i>Ceriagrion tenellum</i>		0	0
<i>Onychogomphus forcipatus</i>		0	0
<i>Orthetrum brunneum</i>		0	0
<i>Sympetrum striolatum</i>		0	0
<i>Sympetrum fonscolombi</i>		0	0
<i>Melanopsis dufouri</i>	Rare	0	0
<i>Theodoxus fluviatilis</i>	Rare	0	0
<i>Eudiaptomus padanus</i>	Common	0	0
<i>Stenosis angusticollis</i>		0	0
<i>Valvata piscinalis</i>		0	0
<i>Bythinia tentaculata</i>		0	0
<i>Pseudamnicola moussonii</i>		0	0
<i>Belgrandia thermalis</i>		0	0
<i>Physa acuta</i>		0	0
<i>Lymnaea palustris</i>		0	0
<i>Acroloxus lacustris</i>		0	0
<i>Sphaerium corneum</i>		0	0

Activities and Impacts

Code	Description	Position	Trend	Importance	Cover %	Impact	Scale
------	-------------	----------	-------	------------	---------	--------	-------

Position	1- inside; 2- outside; 3-both
Trend	1st character: 0-unknown; 1-past; 2-present; 3-previous; 2nd character: 0-unknown; 1-increasing; 2-decreasing; 3-extinguished; 4-stable
Importance	1st character: 1-subsistence level; 2-local; 3-regional; 4-national; 2nd character: 0-insufficient information; 1-low importance; 2-importance; 3-high importance
SCALE	0-Unknown, 1-No major effect on major wetland values, 2-Some effect on major values but not significant, 3-Some reduction of major wetland values, 4-Significant reduction of major wetland values, 5-Loss of one or more wetland values, 6-Some enhancement of wetland values, 7-Significant enhancement of wetland values

References

Author name	Year	Title	Publisher
Rizzotto M.	1981	Il Lago dell'Accesa (Grosseto), note floristiche e vegetazionali.	Atti. Soc. Tosc. Sci. Nat., Mem., Serie B, 88: 311-323
Tomei P.E., Guazzi E.	1999	Indagini sulle zone umide della Toscana (Database)	Regione Toscana, Università degli Studi di Pisa
Terzani F.	1981	Note di odonatofauna Toscana	Redia, 64:103-115
Minniti Maurizio	1970	Odonati del lago dell'Accesa in Toscana	Boll. Ass. Romana Ent. 25:79-82
Giusti F., Favilli L., Manganelli G., 1993	1993	La fauna. In: Giusti F. (a cura di) "La storia naturale della Toscana meridionale".	Monte dei Paschi di Siena/Pizzi Ed.,Milano
Cianfanelli S., Talenti E., Calcagno M. 1991	1991	Le stazioni di <i>Melanopsis dufouri</i> Ferrussac, 1823 (Gastropoda Prosobranchia) in Italia	Quad. Mus. Stor. Nat. Livorno 10:59-76
Tomei P.E., Guazzi E.	1993	Le zone umide della Toscana. Lista generale delle entità vegetali	Atti Mus. Stor. Nat. Grosseto, 15: 107-152.
Caruel T.	1864	Prodromo della Flora toscana	Firenze
Tomei P.E., Longombardo G., Lippi A.	1991	Specie vegetali igrofile delle zone dulciacquicole della Toscana planiziale: aspetti floristici e bioecologici	Pacini Editore, Pisa
Baroni E.	1908	Supplemento generale al Prodromo della flora toscana di T. Caruel	Firenze

List of Key Contacts

MedWet

Lago dell'Accesa

484 - IT51318101

Key Contact	Indirizzo	Città	mail
Pietro Giovacchini	via Repubblica di San Marino, 33 58100	Grosseto	
C.O.T. Re.Na.To.	www.regione.toscana.it	Livorno	http://www.centromitologicotoscano.org
Kugler Peter Carlo		Pisa	kugler@inwind.it
ARPAT- Ecosistemi palustri e laghi	Via Vallisneri, 6 55100	Lucca	areepalustri@arpat.toscana.it m.cenni@arpat.toscana.it

List of Maps

MedWet

Lago dell'Accesa

CTR foglio 318030 "La Pesta" Regione Toscana

484 - IT51318101
1998

List of Aerial Photographs

MedWet

Lago dell'Accesa

foglio 318030 "La Pesta" B/W AGEA (Agenzia per le Erogazioni in
Agricoltura) ex AIMA
foglio 318030 "La Pesta" C Programma "it2000" Terraitaly 2000 C.G.R. S.p.A.
- Parma

484 - IT51318101
2002
1998